



| | | |
|--|--|----------------------------------|
| FORM PTO-1489 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | ATTY. DOCKET NO.: 54954 | SERIAL NO.: 09/303,510 |
| | APPLICANT: Collisson et al | |
| | CPA FILING DATE: June 29, 2001 | GROUP: 1648 |

U.S. PATENT DOCUMENTS

| *EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUB- CLASS | FILING DATE IF APPROPRIATE |
|----------------------|--------------------|------|------|-------|---------------|-------------------------------|
| AA | | | | | | |

FOREIGN PATENT DOCUMENTS


| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUB- CLASS | TRANSLATION YES NO |
|-----|--------------------|----------|---------|-------|---------------|-----------------------|
| luw | AB WO 92/00092 | 01/09/92 | WIPO | A61K | 37/02 | |
| | AC WO 92/15671 | 09/17/92 | WIPO | C12N | 5/00 | |
| | AD WO 93/00431 | 01/07/93 | WIPO | C12N | 15/12 | |
| | AE WO 96/03435 | 02/08/96 | WIPO | C07K | 14/57 | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|----|---|
| luw | AF | Akeson, A.L., "A fluorometric assay for the quantitation of cell adherence to endothelial cells," <i>Journal of Immunological Methods</i> , Vol. 163, pp. 181-185 (1993). |
| | AG | Allison, J.P. et al., "Structure, Function, and Serology of the T-cell Antigen Receptor Complex," <i>Annu. Rev. Immunol.</i> , Vol. 5, pp. 503-540 (1987). |
| | AH | Allison, J.P., "CD28-B7 interaction in T-cell activation," <i>Current Opinion in Immunology</i> , Vol. 6, pp. 414-419 (1994). |
| | AI | Anderson, P. et al., "Regulatory interactions between members of the immunoglobulin superfamily," <i>Immunology Today</i> , Vol. 9, Nos. 7 and 8, pp. 199-203 (1988). |
| | AJ | Antonia, S.J. et al., "B7-1 Expression by a Non-Antigen Presenting Cell-derived Tumor," <i>Cancer Research</i> , Vol. 55, pp. 2253-2256 (1995). |
| | AK | Argyle, D.J. et al., "Nucleotide and predicted peptide sequence of feline interferon-gamma (IFN- γ)," <i>DNA Sequence--The Journal of Sequencing and Mapping</i> , Vol. 5, pp. 169-171 (1995). |
| | AL | Arima, T. et al., "Inhibition by CTLA4Ig of Experimental Allergic Encephalomyelitis," <i>The Journal of Immunology</i> , Vol. 156, pp. 4916-4924 (1996). |
| | AM | Arruffo, A., et al., "Molecular cloning of a CD28 cDNA by a high-efficiency COS cell expression system," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 84, pp. 8573-8577 (1987). |
| | AN | Asjo, B. et al., "A Novel Mode of Human Immunodeficiency Virus Type 1 (HIV-1) Activation: Ligation of CD28 Alone Induces HIV-1 Replication in Naturally Infected Lymphocytes," <i>Journal of Virology</i> , Vol. 67, No. 7, pp. 4395-4398 (1993). |
| | AO | Azuma, M. et al., "Functional Expression of B7/BB1 on Activated T Lymphocytes," <i>J. Exp. Med.</i> , Vol. 177, pp. 845-850 (1993). |
| | AP | Azuma, M. et al., "Involvement of CD28 in MHC-Unrestricted Cytotoxicity Mediated by a Human Natural Killer Leukemia Cell Line," <i>The Journal of Immunology</i> , Vol. 149, No. 4, pp. 1115-1123 (1992). |
| | AQ | Azuma, M. et al., "Requirements for CD28-Dependent T Cell-Mediated Cytotoxicity," <i>The Journal of Immunology</i> , Vol. 150, No. 6, pp. 2091-2101 (1993). |
| | AR | Azuma, M. et al., "B70 antigen is a second ligand for CTLA-4 and CD28," <i>Nature</i> , Vol. 366, pp. 76-79 (1993). |
| | AS | Bajorath, J. et al., "Immunoglobulin fold characteristics of B7-1 (CD80) and B7-2 (CD86)," <i>Protein Science</i> , Vol. 3, pp. 2148-2150 (1994). |
| | AT | Bajorath, J. et al., "Knowledge-based model building of proteins: Concepts and examples," <i>Protein Science</i> , Vol. 2, pp. 1798-1810 (1993). |
| | AU | Balzano, C. et al., "CTLA-4 and CD28: Similar Proteins, Neighbouring Genes," <i>Int. J. Cancer: Supplement</i> , Vol. 7, pp. 28-32 (1992). |

luw

10/24/01




09/303,510

OTHER DOCUMENTS (Continued) Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|---|
| W | AV | Barcy, S. et al., "FcR cross-linking on monocytes results in impaired T cell stimulatory capacity," <i>International Immunology</i> , Vol. 7, No. 2, pp. 179-189 (1995). |
| | AW | Beale, D., "A Comparison of the Amino Acid Sequences of the Extracellular Domains of the Immunoglobulin Superfamily. Possible Correlations Between Conservancy and Conformation," <i>Comp. Biochem. Physiol.</i> , Vol. 80B, No. 2, pp. 181-194 (1985). |
| | AX | Bellone, M. et al., "In vitro priming of cytotoxic T lymphocytes against poorly immunogenic epitopes by engineered antigen presenting cells," <i>Eur. J. Immunol.</i> , Vol. 24, pp. 2691-2698 (1994). |
| | AY | Berke, G., "The Binding and Lysis of Target Cells by Cytotoxic Lymphocytes: Molecular and Cellular Aspects," <i>Annu. Rev. Immunol.</i> , Vol. 12, pp. 735-773 (1994). |
| | AZ | Berke, G., "The Functions and Mechanisms of Action of Cytolytic Lymphocytes," <i>Fundamental Immunology</i> , (W. Paul), New York: Raven Publ. 3d ed., pp. 965-1014 (1993). |
| | BA | Boise, L.H. et al., "CD28 Costimulation Can Promote T Cell Survival by Enhancing the Expression of Bcl-x _L ," <i>Immunity</i> , Vol. 3, pp. 87-98 (1995). |
| | BB | Brinchmann, J.E. et al., "Expression of Costimulatory Molecule CD28 on T Cells in Human Immunodeficiency Virus Type 1 Infection: Functional and Clinical Correlations," <i>The Journal of Infectious Diseases</i> , Vol. 169, pp. 730-738 (1994). |
| | BC | Brown, W.C. et al., "Feline Immunodeficiency Virus Infects Both CD4 ⁺ and CD8 ⁺ T Lymphocytes," <i>Journal of Virology</i> , Vol. 65, No. 6, pp. 3359-3364 (1991). |
| | BD | Buck, C.A., "Immunoglobulin superfamily: structure, function and relationship to other receptor molecules," <i>Seminars in Cell Biology</i> , Vol. 3, pp. 179-188 (1992). |
| | BE | Buelens, C. et al., "Interleukin 10 differentially regulates B7-1 (CD80) and B7-2 (CD86) expression on human peripheral blood dendritic cells," <i>Eur. J. Immunol.</i> , Vol. 25, pp. 2668-2672 (1995). |
| | BF | Caruso, A. et al., "Expression of CD28 on CD8 ⁺ and CD4 ⁺ Lymphocytes During HIV Infection," <i>Scand. J. Immunol.</i> , Vol. 40, pp. 485-490 (1994). |
| | BG | Cerdan, C. et al., "IL-1 α is Produced by T Lymphocytes Activated Via the CD2 Plus CD28 Pathways," <i>The Journal of Immunology</i> , Vol. 146, No.2, pp. 560-564 (1991). |
| | BH | Chambers, C.A., et al., "Co-stimulation in T cell responses," <i>Current Opinion in Immunology</i> , Vol. 9, pp. 396-404 (1997). |
| | BI | Chen, L. et al., "Costimulation of Antitumor Immunity by the B7 Counterreceptor for the T Lymphocyte Molecules CD28 and CTLA-4," <i>Cell</i> , Vol. 71, pp. 1093-1102 (1992). |
| | BJ | Chen, L. et al., "Costimulation of T cells for tumor immunity," <i>Immunology Today</i> , Vol. 14, No. 10, pp. 483-486 (1993). |
| | BK | Chen, L. et al., "Induction of Cytotoxic T Lymphocytes Specific for a Syngeneic Tumor Expressing the E6 Oncoprotein of Human Papillomavirus Type 16," <i>The Journal of Immunology</i> , Vol. 148, No. 8, pp. 2617-2621 (1992). |
| | BL | Chesnut, R.W. et al., "Antigen Presentation by B Cells and its Significance in T-B Interactions," <i>Advances in Immunology</i> , Vol. 39, pp. 51-94 (1986). |
| | BM | Clark, S.J. et al., "High Titers of Cytopathic Virus in Plasma of Patients With Symptomatic of Primary HIV-1 Infection," <i>The New England Journal of Medicine</i> , Vol. 324, No. 14, pp. 954-960 (1991). |
| | BN | Clayberger, C. et al., "Peptides Corresponding to the CD8 and CD4 Binding Domains of HLA Molecules Block T Lymphocyte Immune Responses In Vitro," <i>The Journal of Immunology</i> , Vol. 153, pp. 946-951 (1994). |
| | BO | Clevers, H. et al., "The T Cell Receptor/CD3 Complex: A Dynamic Protein Ensemble," <i>Annu. Rev. Immunol.</i> , Vol. 6, pp. 629-662 (1988). |
| | BP | Connor, R.I. et al., "Increased Viral Burden and Cytopathicity Correlate Temporarily With CD4 ⁺ T-Lymphocyte Decline and Clinical Progression in Human Immunodeficiency Virus Type 1-Infected Individuals," <i>Journal of Virology</i> , Vol. 67, No. 4, pp. 1772-1777 (1993). |
| | BQ | Cooper, D.A. et al., "Characterization of T Lymphocyte Responses During Primary Infection With Human Immunodeficiency Virus," <i>Journal of Infectious Diseases</i> , Vol. 157, No. 5, pp. 889-896 (1988). |
| | BR | Damle, N.K. et al., "Costimulation of T Lymphocytes with Integrin Ligands Intercellular Adhesion Molecule-1 or Vascular Cell Adhesion Molecule-1 Induces Functional Expression of CTLA-4, a Second Receptor for B7," <i>Journal of Immunology</i> , Vol. 152, pp. 2686-2697 (1994). |
| | BS | Damle, N.K. et al., "Differential Regulatory Signals Delivered by Antibody Binding to the CD28 Molecule (Tp44) During the Activation of Human T Lymphocytes," <i>The Journal of Immunology</i> , Vol. 140, No. 6, pp. 1753-1761 (1988). |
| V | BT | Davis, M.M. et al., "T-cell antigen receptor genes and T-cell recognition," <i>Nature</i> , Vol. 334, pp. 395-402 (1988). |

/ [Signature]

10/24/02



09/303,510

OTHER DOCUMENTS (Continued....) (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|---|
| W | BU | de Boer, M. et al., "Ligation of B7 with CD28/CTLA-4 on T-cells results in CD40 ligand expression, interleukin-4 secretion and efficient help for antibody production by B cells," <i>Eur. J. Immunol.</i> , Vol. 23, pp. 3120-3125 (1993). |
| | BV | deWaal, M. et al., "Direct Effects of IL-10 on Subsets of Human CD4 ⁺ T Cell Clones and Resting T Cells. Specific Inhibition of IL-2 Production and Proliferation," <i>The Journal of Immunology</i> , Vol. 150, No. 11, pp. 4754-4765 (1993). |
| | BW | Ding, L. et al., "IL-10 Inhibits Macrophage Costimulatory Activity by Selectively Inhibiting Up-Regulation of B7 Expression," <i>The Journal of Immunology</i> , Vol. 151, No. 3, pp. 1224-1234 (1993). |
| | BX | Donnelly, J.J. et al., "DNA Vaccines," <i>Annu. Rev. Immunol.</i> , Vol. 15, pp. 617-648 (1997). |
| | BY | Driscoll, P.C. et al., "Structure of domain 1 of rat T-lymphocyte CD2 antigen," <i>Nature</i> , Vol. 353, pp. 762-765 (1991). |
| | BZ | Ellis, J.H. et al., "Interactions of CD80 and CD86 with CD28 and CTLA4," <i>The Journal of Immunology</i> , Vol. 156, pp. 2700-2709 (1996). |
| | CA | Englehard, V.H., "Structure of peptides associated with MHC class I molecules," <i>Current Opinion in Immunology</i> , Vol. 6, pp. 13-21 (1994). |
| | CB | English, R.V. et al., "Development of Clinical Disease in Cats Experimentally Infected With Feline Immunodeficiency Virus," <i>The Journal of Infectious Diseases</i> , Vol. 170, pp. 543-552 (1994). |
| | CC | Fauci, A., et al., "Acquired Immunodeficiency Syndrome: Epidemiologic, Clinical, Immunologic, and Therapeutic Considerations," <i>Annals of Internal Medicine</i> , Vol. 100, pp. 92-106 (1984). |
| | CD | Fauci, A.S. et al., "The Effect of Hydrocortisone on the Kinetics of Normal Human Lymphocytes," <i>Blood</i> , Vol. 46, No. 2, pp. 235-243 (1975). |
| | CE | Ferrari, F.A. et al., "Sequence Analysis of the spoOB Locus Reveals a Polycistronic Transcription Unit," <i>Journal of Bacteriology</i> , Vol. 161, No. 2, pp. 556-562 (1985). |
| | CF | Fong, T.A.T. et al., "Alloreactive Murine CD8 ⁺ T Cell Clones Secrete the Th1 Pattern of Cytokines," <i>The Journal of Immunology</i> , Vol. 144, No. 5, pp. 1744-1752 (1990). |
| | CG | Fouchier, R.A. et al., "Broader Tropism and Higher Cytopathicity for CD4 ⁺ T Cells of a Syncytium-Inducing Compared to a Non-Syncytium-Inducing HIV-1 Isolate as a Mechanism for Accelerated CD4 ⁺ T Cell Decline <i>in Vivo</i> ," <i>Virology</i> , Vol. 219, pp. 87-95 (1996). |
| | CH | Freedman, A.S. et al., "B7, A B Cell Restricted Antigen That Identifies Preactivated B Cells," <i>The Journal of Immunology</i> , Vol. 139, No. 10, pp. 3260-3267 (1987). |
| | CI | Freeman et al., "Structure, Expression, and T Cell Costimulatory Activity of the Murine Homologue of the Human B Lymphocyte Activation Antigen B7," <i>J. Exp. Med.</i> , Vol. 174, pp. 625-631 (1991). |
| | CJ | Freeman, G.J. et al., "B7, A New Member of the Ig Superfamily With Unique Expression on Activated and Neoplastic B Cells," <i>The Journal of Immunology</i> , Vol. 143, No. 8, pp. 2714-2722 (1989). |
| | CK | Freeman, G.J. et al., "Uncovering a Functional Alternative CTLA-4 Counter-Receptor in B7-Deficient Mice," <i>Science</i> , Vol. 262, pp. 907-909 (1993). |
| | CL | Gajewski, T.F. et al., "Regulation of T-Cell Activation: Differences among T-Cell Subsets," <i>Immunological Reviews</i> , Vol. 111, pp. 79-110 (1989). |
| | CM | Germain, R.N., "The Biochemistry and Cell Biology of Antigen Processing and Presentation," <i>Annu. Rev. Immunol.</i> , Vol. 11, pp. 403-450 (1993). |
| | CN | Gimmi, C.D. et al., "B-cell surface antigen B7 provides a costimulatory signal that induces T cells to proliferate and secrete interleukin 2," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 88, pp. 6575-6579 (1991). |
| | CO | Haffar, O.K. et al., "Costimulation of T-cell activation and virus production by B7 antigen on activated CD4 ⁺ T cells from human immunodeficiency virus type 1-infected donors," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 90, pp. 11094-11098 (1993). |
| | CP | Harlan, D.M. et al., "Potential Roles of the B7 and CD28 Receptor Families in Autoimmunity and Immune Evasion," <i>Clinical Immunology and Immunopathology</i> , Vol. 75, No. 2, pp. 99-111 (1995). |
| | CQ | Hash, S.M., "Cloning, Sequencing, Expression and Characterization of the Feline CD28/CD80 Accessory Signaling Complex," Ph.D. Dissertation, A&M University, Texas, U.S.A. (1997). |
| | CR | Hassett, D.E. et al., "DNA immunization," <i>Trends in Microbiology</i> , Vol. 4, No. 8, pp. 307-312 (1996). |
| | CS | Hathcock, K.S. et al., "Comparative Analysis of B7-1 and B7-2 Costimulatory Ligands: Expression and Function," <i>The Journal of Experimental Medicine</i> , Vol. 180, 631-640 (1994). |

Paul Wan

10/24/01

Serial No: 09/303,510
 Applicant: Collisson et al
 CPA filing date: June 29, 2001
 Group: 1648



Sheet 4 of 7

09/303,510

OTHER DOCUMENTS (Continued) (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|-----|----|---|
| 110 | CT | Hodge, J.W. et al., "Induction of Antitumor Immunity by Recombinant Vaccinia Viruses Expressing B7-1 or B7-2 Costimulatory Molecules," <i>Cancer Research</i> , Vol. 54, pp. 5552-5555 (1994). |
| | CU | Hutchcroft, J.E. et al., "Signaling Through CD28/CTLA-4 Family Receptors: Puzzling Participation of Phosphatidylinositol-3 Kinase," <i>The Journal of Immunology</i> , Vol. 155, pp. 4071-4074 (1996). |
| | CV | Jenkins, M.K. et al., "CD28 Delivers a Costimulatory Signal Involved in Antigen-Specific IL-2 Production by Human T Cells," <i>The Journal of Immunology</i> , Vol. 147, No. 8, pp. 2461-2466 (1991). |
| | CW | Jenkins, M.K. et al., "T-Cell Unresponsiveness <i>in vivo</i> and <i>in vitro</i> : Fine Specificity of Induction and Molecular Characterization of the Unresponsive State," <i>Immunological Reviews</i> , Vol. 95, pp. 113-135 (1987). |
| | CX | June, C.H. et al., "Role of the CD28 receptor in T-cell activation," <i>Immunology Today</i> , Vol. 11, No. 6, pp. 211-216 (1990). |
| | CY | June, C.H. et al., "The B7 and CD28 receptor families," <i>Immunology Today</i> , Vol. 15, No. 7, pp. 321-333 (1994). |
| | CZ | Knight, J.C. et al., <i>Virology</i> , Vol. 190, pp. 423-433 (1992). |
| | DA | Kozbor, D. et al., "Tp44 Molecules Involved in Antigen-Independent T Cell Activation are Expressed on Human Plasma Cells," <i>The Journal of Immunology</i> , Vol. 138, No. 12, pp. 4128-4132 (1987). |
| | DB | Kupfer, A. et al., "Cell Biology of Cytotoxic and Helper T Cell Functions: Immunofluorescence Microscopic Studies of Single Cells and Cell Couples," <i>Annu. Rev. Immunol.</i> , Vol. 7, pp. 309-337 (1989). |
| | DC | Landay, A.L. et al., "An Activated CD8+ T Cell Phenotype Correlates with Anti-HIV Activity and Asymptomatic Clinical Status," <i>Clinical Immunology and Immunopathology</i> , Vol. 69, No. 1, pp. 106-116 (1993). |
| | DD | Lane, P. et al., "B Cell Function in Mice Transgenic for mCTLA4-Hy1: Lack of Germinal Centers Correlated with Poor Affinity Maturation and Class Switching Despite Normal Priming of CD4+ T Cells," <i>J. Exp. Med.</i> , Vol. 179, pp. 819-830 (1994). |
| | DE | Lanier, L.L. et al., "CD80 (B7) and CD86 (B70) Provide Similar Costimulatory Signals for T Cell Proliferation, Cytokine Production, and Generation of CTL," <i>The Journal of Immunology</i> , Vol. 154, pp. 97-105 (1995). |
| | DF | Larsen, C.P. et al., "Functional Expression of the Costimulatory Molecule, B7/BB1, on Murine Dendritic Cell Populations," <i>J. Exp. Med.</i> , Vol. 176, pp. 1215-1220 (1992). |
| | DG | Leahy, D. J. et al., "Crystal Structure of a Soluble Form of the Human T Cell Coreceptor CD8 at 2.6 Å Resolution," <i>Cell</i> , Vol. 68, pp. 1145-1162 (1992). |
| | DH | Lechler, R.I. et al., "The molecular basis of alloreactivity," <i>Immunology Today</i> , Vol. 11, No. 3, pp. 83-88 (1990). |
| | DI | Lenschow, D.J. et al., "CD28/B7 System of T Cell Costimulation," <i>Annu. Rev. Immunol.</i> , Vol. 14, pp. 233-258 (1996). |
| | DJ | Lenschow, D.J. et al., "Expression and functional significance of an additional ligand for CTLA-4," <i>Proc. Nat. Acad. Sci. USA</i> , Vol. 90, pp. 11054-11058 (1993). |
| | DK | Leung, H.T. et al., "The CD28 costimulatory pathway," <i>Therapeutic Immunology</i> , Vol. 1, pp. 217-228 (1994). |
| | DL | Lewis, D.E. et al., "Anergy and Apoptosis in CD8+ T Cells from HIV Infected Persons," <i>The Journal of Immunology</i> , Vol. 153, pp. 412-420 (1994). |
| | DM | Li, Y. et al., "Costimulation of Tumor Reactive CD4+ and CD8+ T Lymphocytes by B7, a Natural Ligand for CD28, Can Be Used to Treat Established Mouse Melanoma," <i>The Journal of Immunology</i> , Vol. 153, pp. 421-428 (1994). |
| | DN | Lindsten, T. et al., "Characterization of CTLA-4 Structure and Expression on Human T Cells," <i>The Journal of Immunology</i> , Vol. 151, pp. 3489-3499 (1993). |
| | DO | Linsley, P. S. et al., "T-cell antigen CD28 mediates adhesion with B cells by interacting with activation antigen B7/BB-1," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 87, pp. 5031-5035 (1990). |
| | DP | Linsley, P.S. et al., "Binding of the B Cell Activation Antigen B7 to CD28 Costimulates T Cell Proliferation and Interleukin 2 mRNA Accumulation," <i>J. Exp. Med.</i> , Vol. 173, pp. 721-730 (1991). |
| | DQ | Linsley, P.S. et al., "Binding Stoichiometry of the Cytotoxic T Lymphocyte-associated Molecule-4 (CTLA-4)," <i>The Journal of Biological Chemistry</i> , Vol. 270, No. 25, pp. 15417-15424 (1995). |
| 1 | DR | Linsley, P.S. et al., "CD28 Engagement by B7/BB-1 Induces Transient Down-Regulation of CD28 Synthesis and Prolonged Unresponsiveness to CD28 Signaling," <i>The Journal of Immunology</i> , Vol. 150, No. 8, pp. 3161-3169 (1993). |

Handwritten signature 10/29/01




09/303,510

OTHER DOCUMENTS (Continued) Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| W | DS | Linsley, P.S. et al., "CD28/CTLA-4 receptor structure, binding stoichiometry and aggregation during T-cell activation," <i>Res. Immunol.</i> , Vol. 146, pp. 130-140 (1995). |
| | DT | Linsley, P.S. et al., "Coexpression and Functional Cooperation of CTLA-4 and CD28 on Activated T Lymphocytes," <i>J. Exp. Med.</i> , Vol. 176, pp. 1595-1604 (1992). |
| | DU | Linsley, P.S. et al., "CTLA-4 is a Second Receptor for the B Cell Activation Antigen B7," <i>J. Exp. Med.</i> , Vol. 174, pp. 561-569 (1991). |
| | DV | Linsley, P.S. et al., "Extending the B7 (CD80) gene family," <i>Protein Science</i> , Vol. 3, pp. 1341-1343 (1994). |
| | DW | Linsley, P.S. et al., "Human B7-1 (CD80) and B7-2 (CD86) Bind with Similar Avidities but Distinct Kinetics to CD28 and CTLA-4 Receptors," <i>Immunity</i> , Vol. 1, pp. 793-801 (1994). |
| | DX | Linsley, P.S. et al., "Immunosuppression in Vivo by a Soluble Form of the CTLA-4 T Cell Activation Molecule," <i>Science</i> , Vol. 257, pp. 792-795 (1992). |
| | DY | Linsley, P.S. et al., "The Role of CD28 Receptor During T Cell Responses to Antigen," <i>Annu. Rev. Immunol.</i> , Vol. 11, pp. 191-212 (1993). |
| | DZ | Littman, D.R., "The Structure of the CD4 and CD8 Genes," <i>Ann. Rev. Immunol.</i> , Vol. 5, pp. 561-584 (1987). |
| | EA | Liu, C.C. et al., "Perforin: structure and function," <i>Immunology Today</i> , Vol. 16, No. 4, pp. 194-201 (1995). |
| | EB | Liu, Y. et al., "Co-stimulation of murine CD4 T cell growth: cooperation between B7 and heat-stable antigen," <i>Eur. J. Immunol.</i> , Vol. 22, pp. 2855-2859 (1992). |
| | EC | Lombardi, S. et al., "A Neutralizing Antibody-Inducing Peptide of the V3 Domain of Feline Immunodeficiency Virus Envelope Glycoprotein Does Not Induce Protective Immunity," <i>The Journal of Virology</i> , Vol. 68, No. 12, pp. 8374-8379 (1994). |
| | ED | Lu, Y. et al., "CD28-Induced T Cell Activation. Evidence for a Protein-Tyrosine Kinase Signal Transduction Pathway," <i>The Journal of Immunology</i> , Vol. 149, No. 1, pp. 24-29 (1992). |
| | EE | Lwoff, A., "The Concept of Virus," <i>The Journal of General Microbiology</i> , Vol. 17, No. 1, pp. 239-253 (1957). |
| | EF | Martin, P.J. et al., "A 44 Kilodalton Cell Surface Homodimer Regulates Interleukin 2 Production by Activated Human T Lymphocytes," <i>The Journal of Immunology</i> , Vol. 136, No. 9, pp. 3282-3287 (1986). |
| | EG | Matasumura, M. et al., "Emerging Principles for the Recognition of Peptide Antigens by MHC Class I Molecules," <i>Science</i> , Vol. 257, pp. 927-934 (1992). |
| | EH | Mescher, M.F., "Surface Contact Requirements for Activation of Cytotoxic T Lymphocytes," <i>The Journal of Immunology</i> , Vol. 149, No. 7, pp. 2402-2405 (1992). |
| | EI | Minty, A. et al., "Interleukin-13 is a new human lymphokine regulating inflammatory and immune responses," <i>Nature</i> , Vol. 362, pp. 248-250 (1993). |
| | EJ | Moffett, C.W. et al., "Microglia in the rat neurohypophysis increase expression of class I major histocompatibility antigens following central nervous system injury," <i>Journal of Neuroimmunology</i> , Vol. 50, pp. 139-151 (1994). |
| | EK | Mosmann, T. R. et al., "TH1 and TH2 Cells: Different Patterns of Lymphokine Secretion Lead to Different Functional Properties," <i>Ann. Rev. Immunol.</i> , Vol. 7, pp. 145-173 (1989). |
| | EL | Nabavi, N. et al., "Signaling through the MHC Class II cytoplasmic domain is required for antigen presentation and induces B7 expression," <i>Nature</i> , Vol. 360, pp. 266-268 (1992). |
| | EM | Nagata, S. et al., "The Fas Death Factor," <i>Science</i> , Vol. 267, pp. 1449-1456 (1995). |
| | EN | Nickoloff, B.J. et al., "Discordant Expression of CD28 Ligands, BB-1 and B7 on Keratinocytes in Vitro and Psoriatic Cells in Vivo," <i>American Journal of Pathology</i> , Vol. 142, No. 4, pp. 1029-1040 (1993). |
| | EO | Novotney, C. et al., "Lymphocyte population changes in cats naturally infected with feline immunodeficiency virus," <i>AIDS</i> , Vol. 4, pp. 1213-1218 (1990). |
| | EP | O'Doherty, U. et al., "Dendritic cells freshly isolate from human blood express CD4 and mature into typical immunostimulatory dendritic cells after culture in monocyte-conditioned media," <i>J. Exp. Med.</i> , Vol. 178, pp. 1067-1076 (1993). |
| | EQ | Ozawa, H. et al., "Interferon gamma and interleukin 10 inhibit antigen presentation by Langerhans cells for T helper type 1 cells by suppressing their CD80 (B7-1) expression," <i>Eur. J. Immunol.</i> , Vol. 26, pp. 648-652 (1995). |
| | ER | Page, C. et al., "Human endothelial stimulation of allogenic T cells via a CTLA-4 independent pathway," <i>Transplant Immunology</i> , Vol. 2, pp. 342-347 (1994). |
| V | ES | Peach, R. J. et al., "Both Extracellular Immunoglobulin-like Domains of CD80 Contain Residues Critical for Binding T Cell Surface Receptors CTLA-4 and CD28," <i>The Journal of Biological Chemistry</i> , Vol. 270, pp. 21181-21187 (1995). |

Archie W. W.

10/24/01



09/303,510

OTHER DOCUMENTS (Continued....) (Including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|--|
| W | ET | Peach, R.J. et al., "Complementarity Determining Region 1 (CDR1)- and CDR3-analogous Regions in CTLA-4 and CD28 Determine the Binding to B7-1," <i>J. Exp. Med.</i> , Vol. 180, pp. 2049-2058 (1994). |
| | EU | Pedersen, N.C. et al., "Isolation of a T-Lymphotropic Virus from Domestic Cats with an Immunodeficiency-Like Syndrome," <i>Science</i> , Vol. 235, pp. 790-793 (1987). |
| | EV | Prasad, K.V.S et al., "T-cell antigen CD28 interacts with the lipid kinase phosphatidylinositol 3-kinase by a cytoplasmic Try(P)-Met-Xaa-Met motif," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91, pp. 2834-2838 (1994). |
| | EW | Radvanyi, L.G. et al., "CD28 Costimulation Inhibits TCR-Induced Apoptosis During a Primary T-Cell Response," <i>The Journal of Immunology</i> , Vol. 156, pp. 1788-1798 (1996). |
| | EX | Ranheim, E.A. et al., "Tumor Necrosis Factor- α Facilitates Induction of CD80 (B7-1) and CD54 on Human B Cells By Activated T Cells: Complex Regulation by IL-4, IL-10, and CD40L," <i>Cellular Immunology</i> , Vol. 161, pp. 226-235 (1995). |
| | EY | Razi-Wolf, Z. et al., "Expression and function of the murine B7 antigen, the major costimulatory molecule expressed by peritoneal exudate cells," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 89, pp. 4210-4214 (1992). |
| | EZ | Riley, J.L. et al., "Intrinsic Resistance to T Cell Infection with HIV Type 1 Induced by CD28 Costimulation," <i>The Journal of Immunology</i> , Vol. 158, pp. 5545-5553 (1997). |
| | FA | Ronchese, F. et al., "Mice Transgenic for a Soluble Form of Murine CTLA-4 Show Enhanced Expansion of Antigen-Specific CD4 ⁺ T Cells and Defective Antibody Production In Vivo," <i>J. Exp. Med.</i> , Vol. 179, pp. 809-817 (1994). |
| | FB | Rotzschke, O. et al., "Origin, structure and motifs of naturally processed MHC class II ligands," <i>Current Opinion in Immunology</i> , Vol. 6, pp. 45-51 (1994). |
| | FC | Russel, J.H., "Internal Disintegration Model of Cytotoxic Lymphocyte-Induced Target Damage," <i>Immunological Rev.</i> , Vol. 72, pp. 97-118 (1983). |
| | FD | Saukkonen, J.J. et al., "Expansion of a CD8 ⁺ CD28 ⁻ Cell Population in the Blood and Lung of HIV-Positive Patients," <i>Journal of Acquired Immune Deficiency Syndromes</i> , Vol. 6, pp. 1194-1204 (1993). |
| | FE | Schattner, E. et al., "HIV-Induced T-Lymphocyte Depletion," <i>Clinics in Laboratory Medicine</i> , Vol. 14, No. 2, pp. 221-238 (1994). |
| | FF | Schmittel, A. et al., "Lipopolysaccharide Effectively Up-Regulates B7-1 (CD80) Expression and Costimulatory Function of Human Monocytes," <i>Scand. J. Immunol.</i> , Vol. 42, pp. 701-704 (1995). |
| | FG | Schwartz, R.H., "Costimulation of T Lymphocytes: The Role of CD28, CTLA-4 and B7/BB1 in Interleukin-2 Production and Immunotherapy," <i>Cell</i> Vol. 71, pp. 1065-1068 (1992). |
| | FH | Seder, R.A. et al., "CD28-mediated Costimulation of Interleukin 2 (IL-2) Production Plays a Critical Role in T Cell Priming for IL-4 and Interferon γ Production," <i>The Journal of Experimental Medicine</i> , Vol. 179, pp. 299-304 (1994). |
| | FI | Shahinian, A. et al., "Differential T Cell Costimulatory Requirements in CD28-Deficient Mice," <i>Science</i> , Vol. 261, pp. 609-612 (1993). |
| | FJ | Sher, A. et al., "Role of T-Cell Derived Cytokines in the Downregulation of Immune Responses in Parasitic and Retroviral Infection," <i>Immunological Reviews</i> , No. 127, pp. 183-204 (1992). |
| | FK | Siebelink, K.H.J. et al., "Enhancement of Feline Immunodeficiency Virus Infection after Immunization with Envelope Glycoprotein Subunit Vaccines," <i>Journal of Virology</i> , Vol. 69, No. 6, pp. 3704-3711 (1995). |
| | FL | Siebelink, K.H.J. et al., "Feline Immunodeficiency Virus (FIV) Infection in the Cat as a Model for HIV Infection in Man: FIV-Induced Impairment of Immune Function," <i>AIDS Research and Human Retroviruses</i> , Vol. 6, No. 12, pp. 1373-1378 (1990). |
| | FM | Singer, S.J., "Intercellular Communication and Cell-Cell Adhesion," <i>Science</i> , Vol. 255, pp. 1671-1674 (1992). |
| | FN | Smithgall, M.D. et al., "Costimulation of CD4 ⁺ T Cells via CD28 Modulates Human Immunodeficiency Virus Type 1 Infection and Replication in Vitro," <i>AIDS Research and Human Retroviruses</i> , Vol. 11, No. 8, pp. 885-892 (1995). |
| | FO | Springer, T.A. et al., "The Lymphocyte Function-Associated LFA-1, CD2, and LFA-3 Molecules: Cell Adhesion Receptors of the Immune System," <i>Annu. Rev. Immunol.</i> , Vol. 5, pp. 223-252 (1987). |
| | FP | Springer, T.A., "Adhesion receptors of the immune system," <i>Nature</i> , Vol. 346, pp. 425-434 (1990). |
| | FQ | Stack, R.M. et al., "IL-4 Treatment of Small Splenic B Cells Induces Costimulatory Molecules B7-1 and B7-2," <i>Journal of Immunology</i> , Vol. 152, pp. 5723-5733 (1994). |
| W | FR | Symington, F.W. et al., "Expression and Function of B7 on Human Epidermal Langerhans Cells," <i>The Journal of Immunology</i> , Vol. 150, No. 4, pp. 1286-1295 (1993). |

Chad W

10/24/01

Serial No: 09/303,510
 Applicant: Collisson et al
 CPA filing date: June 29, 2001
 Group: 1648



Sheet 7 of 7

09/303,510

OTHER DOCUMENTS (Continued) (including Author, Title, Date, Pertinent Pages, Etc.)

| | | |
|---|----|---|
| W | FS | Taylor, M.K. et al., "Cell-mediated cytotoxicity," <i>Current Opinion in Immunology</i> , Vol. 4, pp. 338-343 (1992). |
| | FT | Thomas, R. et al., "Rheumatoid Synovium is Enriched in Mature Antigen-Presenting Dendritic Cells," <i>Journal of Immunology</i> , Vol. 152, pp. 2613-2623 (1994). |
| | FU | Townsend, S.E. et al., "Tumor Rejection After Direct Costimulation of CD8 ⁺ T Cells by B7-Transfected Melanoma Cells," <i>Science</i> , Vol. 259, pp. 368-370 (1993). |
| | FV | Tsuji, T. et al., "Immunomodulatory effects of a plasmid expressing B7-2 on human immunodeficiency virus-1-specific cell-mediated immunity induced by a plasmid encoding the viral antigen," <i>Eur. J. Immunol.</i> , Vol. 27, pp. 782-787 (1997). |
| | FW | Turka, L.A. et al., "CD28 is an Inducible T Cell Surface Antigen That Transduces a Proliferative Signal in CD3 ⁺ Mature Thymocytes," <i>The Journal of Immunology</i> , Vol. 144, No. 5, pp. 1646-1653 (1990). |
| | FX | Turka, L.A. et al., "Signal Transduction Via CD4, CD8, and CD28 in Mature and Immature Thymocytes," <i>The Journal of Immunology</i> , Vol. 146, No. 5, pp. 1428-1436 (1991). |
| | FY | Unanue, E.R., "Antigen-Presenting Function of the Macrophage," <i>Annu. Rev. Immunol.</i> , Vol. 2, pp. 395-428 (1984). |
| | FZ | van Kooten, C. et al., "Monokine Production by Human T Cells: IL-1 α Production Restricted to Memory T Cells," <i>The Journal of Immunology</i> , Vol. 146, No. 8, pp. 2654-2658 (1991). |
| | GA | van Seventer, G.A. et al., "Roles of multiple accessory molecules in T-cell activation," <i>Current Opinion in Immunology</i> , Vol. 3, pp. 294-303 (1991). |
| | GB | Wang, R. et al., "Differential Activation of Antigen-Stimulated Suicide and Cytokine Production Pathways in CD4 ⁺ T Cells is Regulated by the Antigen-Presenting Cell," <i>The Journal of Immunology</i> , Vol. 150, No. 9, pp. 3832-3842 (1993). |
| | GC | Weiss, A. et al., "Signal Transduction by Lymphocyte Antigen Receptors," <i>Cell</i> , Vol. 76, pp. 263-274 (1994). |
| | GD | Williams, A.F. et al., "The Immunoglobulin Superfamily-Domains for Cell Surface Recognition," <i>Annu. Rev. Immunol.</i> , Vol. 6, pp. 381-405 (1988). |
| | GE | Windhagen, A. et al., "Expression of Costimulatory Molecules B7-1 (CD80), B7-2 (CD86) and Interleukin 12 Cytokine in Multiple Sclerosis Lesions," <i>J. Exp. Med.</i> , Vol. 182, pp. 1985-1996 (1995). |
| | GF | Yamamoto, J.K. et al., "Epidemiologic and clinical aspects of feline immunodeficiency virus infection in cats from the continental United States and Canada and possible mode of transmission," <i>JAVMA</i> , Vol. 194, No. 2, pp. 213-220 (1989). |
| | GG | Yasukawa, M. et al., "Differential <i>in Vitro</i> activation of CD4 ⁺ CD8 ⁺ and CD8 ⁺ CD4 ⁺ Herpes Simplex Virus-Specific Human Cytotoxic T Cells," <i>The Journal of Immunology</i> , Vol. 143, No. 6, pp. 2051-2057 (1989). |
| | GH | Yssel, et al., "Interleukin-7 specifically induces the B7/BB1 antigen on human cord blood and peripheral blood T cells and T cell clones," <i>Int. Immunol.</i> , Vol. 5, No. 7, pp. 753-759 (1993). |
| | GI | Zanussi, S. et al., "CD8 ⁺ lymphocyte phenotype and cytokine production in long-term non-progressor and in progressor patients with HIV-1 infection," <i>Clin. Exp. Immunol.</i> , Vol. 105, pp. 220-224 (1996). |
| | GJ | Zhou, T. et al., "T cells of staphylococcal enterotoxin B-tolerized autoimmune MRL- <i>lpr/lpr</i> mice require co-stimulation through the B7-CD28/CTLA-4 pathway for activation and can be reenergized <i>in vivo</i> by stimulation of the T cell receptor in the absence of co-stimulatory signal," <i>Eur. J. Immunol.</i> , Vol. 24, pp. 1019-1025 (1994). |

EXAMINER

DATE CONSIDERED

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.